AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			TRACT	1. Contract I		Page 1 Of 4	
2. Amendment/Modification No.	3. Effective Date	4. Requisition/Pu	rchase Req 1			o. (If applicable)	
P00002	2001NOV13	SEE S	CHEDULE				
6. Issued By	Code W52H09	7. Administered		han Item 6)		Code S2605A	
TACOM-ROCK ISLAND		DCMA ST LO	UIS				
AMSTA-AQ-ARCS		1222 SPRUC		0010			
MARILYN EMERICK (309)782-8113 ROCK ISLAND IL 61299-7630		ST LOUIS	MO 63103-	2812			
EMAIL: EMERICKM@RIA.ARMY.MIL			SCD C	PAS N	ADE	PT HQ0339	
8. Name And Address Of Contractor (No., Stre	eet, City, County, State and	l Zip Code)		9A. Amendmei			
	,						
SEILER INSTRUMENT AND MFG CO INC				OD D-4-J/C	T4 11)		
170 E KIRKHAM AVE ST LOUIS MO 63119-1766				9B. Dated (See	item 11)		
81 20018 1.00 03119 1700			x	10A. Modificat	ion Of Contra	ct/Order No.	
				DAAE20-01-P-	0542		
TYPE BUSINESS: Other Small Business	Performing in U.S.			10B. Dated (Se			
Code 11934 Facility Code				2001SEP24	e item 13)		
	THIS ITEM ONLY APPLI	ES TO AMENDMI	ENTS OF SC	LICITATION	S		
The above numbered solicitation is amend							
is extended, is not extended.	acu as set forth in item 14.	The nour and date	specifica to	receipt or On	icis		
Offers must acknowledge receipt of this amo	endment prior to the hour	and date specified i	n the solicita	ition or as ame	nded by one of	the following methods:	
(a) By completing items 8 and 15, and return	ning copies	of the amendments:	(b) By ackn	owledging rece	ipt of this ame	ndment on each copy of the	
offer submitted; or (c) By separate letter or ACKNOWLEDGMENT TO BE RECEIVE	0						
SPECIFIED MAY RESULT IN REJECTION							
change may be made by telegram or letter, p	provided each telegram or	letter makes refere	nce to the so	licitation and t	his amendmen	t, and is received prior to the	
opening hour and date specified. 12. Accounting And Appropriation Data (If required)							
12. Accounting And Appropriation Data (If render no change to obligation data	•						
13. THIS ITEM ONLY APPLIES TO MODIFICATIONS OF CONTRACTS/ORDERS							
KIND MOD CODE: 7 It Modifies The Contract/Order No. As Described In Item 14.							
A. This Change Order is Issued Pursua The Contract/Order No. In Item 10.				The Ch	anges Set For	th In Item 14 Are Made In	
B. The Above Numbered Contract/Orde Set Forth In Item 14, Pursuant To T			Changes (su	ch as changes i	n paying offic	e, appropriation data, etc.)	
C. This Supplemental Agreement Is En	tered Into Pursuant To Au	thority Of:					
D. Other (Specify type of modification a	and authority)						
E. IMPORTANT: Contractor X is not.	is required to sign	this document and	l return	(opies to the Is	suing Office.	
14. Description Of Amendment/Modification (•	0	
SEE SECOND PAGE FOR DESCRIPTION							
Except as provided herein, all terms and condi	tions of the document refe	renced in item 9A o	r 10A, as he	retofore chang	ed, remains un	changed and in full force	
and effect.)	164 Nome	And Title (of Contracting	Officer (Type	or print)	
15A. Name And Title Of Signer (Type or print)		And Title C	Of Contracting	omcer (1ype	ու իւաւ,	
	1			IIL (309)782-	5717	140 = -:	
15B. Contractor/Offeror	15C. Date Signed	16B. Unite	d States Of A	America		16C. Date Signed	
	_	Ву		/SIGNED/			
(Signature of person authorized to sign)			Signature of	Contracting C			
NSN 7540-01-152-8070		30-105-02			STANDARD I	FORM 30 (REV. 10-83)	

CONTINUATION SHEET

Reference No. of Document Being Continued

PIIN/SIIN DAAE20-01-P-0542

MOD/AMD P00002

Page 2 of 4

Name of Offeror or Contractor: SEILER INSTRUMENT AND MFG CO INC

SUPPLEMENTAL INFORMATION

The purpose of this modification P00002 to Purchase Order DAAE20-01-P-0542 is to delete all information starting with Engineering Exceptions located in Section C (Clause CS6100) of the basic purchase order and replace with new Section C information (Revision A)

> CONTRACT C WORKSHEET Revision A

PRON M1192307M1 AMC 2 AMSC G

TDPL DATE 02/28/01 TDP 12951526

NSN 6650013946894 NOMENCLATURE LRF RETICLE SIMULATOR ASSY

ENGINEERING EXCEPTIONS: The following engineering changes apply to this procurement action(s):

DOCUMENT DELETE REPLACE WITH SPI-12951526 MIL-P-116 MIL-STD-2073-1 12951526 MIL-G-4343 SAE-AMS-G-4343 12951500,12951526 MIL-M-43803 MIL-STD-B130 MIL-STD-2000 IPC/EIAJ-STD-001 12951526,12951500 12951526 PPP-C-1752 A-A-59135, A-A-59136 AMS-QQ-A-200, ASTM-B221,B308 12951531 00-A-200 QQ-A-200/8 AMS-QQ-A-200/8, ASTM-B221,B308 12951501 TO 04, 00-A-225 AMS-QQ-225, ASTM-B211 12951535,12951634, 9376202 12951535 QQ-A-225/6 AMS-QQ-225, ASTM-B211 12951501 TO 04, QQ-A-225/8 AMS-00-225, ASTM-B211 12951634.9376202 12354581,12951534, QQ-P-35 ATSM-A967, AMS-QQ-P-35 12951535 12354581 00-S-766 ATSM-A240,A666,A693 12951505 MTL-R-82248 MTL-R-83248 MIL-STD-1373 DELETE NOTE 5. ADD NEW NOTE AS FOLLOWS: "THREADS SHALL BE CLASS 2A, 0.1 PITCH MODIFIED 60 DEG. STUB

EXTERNAL DOUBLE THREAD SERIES IN ACCORDANCE WITH THE FOLLOWING:

THREAD SIZE: 1.3750; PITCH .1; LEAD .2; ALLOWANCE .002; MAJOR DIAMETER

LIMITS: 1.3730 MAX.; 1.3610 MIN.; .0120 TOLERANCE.

PITCH DIAMETER LIMITS: 1.3390 MAX.; 1.3290 MIN.; .0100 TOLERANCE.

MINOR DIAMETER LIMITS: 1.3010 MAX.; 1.2830 MIN.".

12951534 MIL-STD-1373 DELETE NOTE 8. ADD NEW NOTE AS

FOLLOWS: "THREADS SHALL BE CLASS 2B, 0.1 PITCH MODIFIED 60 DEG. STUB

INTERNAL DOUBLE THREAD SERIES IN ACCORDANCE WITH THE FOLLOWING:

THREAD SIZE: 1.3750; PITCH .1; LEAD .2; MINOR DIAMETER LIMITS: 1.3150

MIN.; 1.3270 MAX.; .0120 TOLERANCE.

PITCH DIAMETER LIMITS: 1.3410 MIN.; 1.3530 MAX.; .0120 TOLERANCE.

MAJOR DIAMETER LIMITS: 1.3790 MIN.; 1.3990 MAX.".

DWG 12951500 NOTE:7 AND DWG 12951504 NTOE:6

DELETE THE LAST SENTENCE ("PREFERED INK...REQUIRED") AND ADD THE FOLLOWING TO THE LAST SENTENCE "AA56032-BLK OR WHT PER SPEC. A-A-56032.

DWG 12951527 NOTE:12, DWG 12951528 NOTE:6, DWG 12951529 NOTE:4, DWG 12951531 NOTE:10, AND DWG 12951532 NOTE:5

> DELETE "A-A-208, TYPE OPTIONAL" REPLACE WITH "AA56032-WHT PER SPEC. A-A-56032" AND ALSO DELETE ("MARKINGS SHALL BE COATED WITH CLEAR LACQUER TT-L-50").

SPI-12951526, BLOCK 17, PARAGRAPH A - DELETE THE FIRST SENTENCE ("OPTICAL SURFACES ... MIL-O-16898") AND REPLACE WITH:

PIIN/SIIN DAAE20-01-P-0542

MOD/AMD P00002

Page 3 of 4

Name of Offeror or Contractor: SEILER INSTRUMENT AND MFG CO INC

"**CLEANING OF OPTICAL SURFACES SHALL BE AS FOLLOWS:

--LOOSE PARTICLES OF DUST SHALL BE REMOVED FROM THE OPTICAL ELEMENTS

CONTRACT C WORKSHEET Revsion A

PRON M1192307M1 AMC 2 AMSC G ATC

TDP 12951526 TDPL DATE 02/28/01

NSN 6650013946894 NOMENCLATURE LRF RETICLE SIMULATOR ASSY

WITH A CAMEL HAIR BRUSH.

--THE SURFACES SHALL BE WIPED WITH A CIRCULAR MOTION USING COTTON, LENS TISSUE PAPER OR FREASHLY LAUNDERED CHEESCLOTH WHICH IS SATURATED WITH ALCOHOL.

CAUTION: ONLY LENS TISSUE PAPER OR BATISTE CLOTH SHALL BE USED TO CLEAN PLASTIC ELEMENTS. THE SURFACES SHALL BE DRIED BY WIPING WITH CLEAN COTTON, LENS PAPER OR FREASHLY LAUNDERED CHEESCLOTH.

- --A SWAB SHALL BE MADE BY WRAPPING ONE PIECE OF LENS TISSUE PAPER AROUND THE END OF AN ORANGE STICK OR EQUAL. ONE OR TWO DROPS OF ALCOHOL SHALL BE ADDED TO THE TIP OF THE SWAB. EXERT LIGHT DOWNWARD PRESSURE ON THE SWAB END WHILE MOVING IN A CIRCULAR MOTION BEGINNING AT THE CENTER OF THE POLISHED SURFACE. INCREASE RADIUS OF SWABBING AREA UNTIL THERE IS NO TRACE OF DIRT, LINT, OR SMEARS ON THE SWABBED SURFACE.
- --A RUBBER SYRINGE SHALL BE USED AS BELLOWS TO REMOVE ANY PARTICLES ON THE CLEANED SURFACE.

DOCUMENT	DELETE	REPLACE WITH
12951500	TT-L-50	A-A-3003
12951504	п	п
12951527	п	п
12951528	m .	п
12951529	n .	п
12951531	n .	п
12951532	п	"

"The following Government Acceptance Inspection Equipment (AIE) designs drawings, cited elsewhere in the technical data, are appropriate for use during performance of this contract to inspect the applicable characteristics

o All AIE designs specified for critical Characteristics/Defects

o Other -Lists by citing individual drawing numbers or equipment list(s).

7680606 TESTER, ABRASION, OPTICAL COATING

All other Government AIE designs which are cited in the Technical Data Package List or in any of the documents in the technical data package are no longer being maintained by the Government, may not reflect the latest component configuration and are, therefore, included for information purposes only. Except for the AIE designs listed above, the contractor is reponsible for the design and submission to the Government for review of all other AIE in accordance with Clause N/A specified elsewhere in Section E of this contract."

ECP D4E4016 APPLIES TO THIS PROCUREMENT. THIS WILL BRING 12951526 UP TO REVISION A.

DWG 12951527, SHEET 1, NOTE 2-BAR STOCK AL6061-T6511 PER SPEC

CONTINUATION SHEET

Reference No. of Document Being Continued

PIIN/SIIN DAAE20-01-P-0542

MOD/AMD P00002

Page 4 of 4

Name of Offeror or Contractor: ${\mbox{\tt SEILER}}$ instrument and ${\mbox{\tt MFG}}$ co inc

CONTRACT C WORKSHEET Revsion A

PRON M1192307M1 AMC 2 AMSC G ATC

TDP 12951526 TDPL DATE 02/28/01

NSN 6650013946894 NOMENCLATURE LRF RETICLE SIMULATOR ASSY

 $\mbox{AMS-QQ-A-200/8}$ MAY BE SUBSTITUTED FOR THE ALUMINUM ALLOY CASTING MATERIAL CALLED OUT.

GFM/GFE: DRAWING NO.

MYLARS REQUIRED (Check one): Y or X N

CERTIFICATION SIGNATURE(s)/CONCURRENCE

Enq

2113			
ActERIK GARV	ERIK GARV	3/8/01	AMSTA-AR-FSF 880-5996
Type/Print Name	Signature/Concurrence	Date	Office Sym DSN Tel
LCSE			
ActEUNICE MACKENN	EUNICE MACKENN	2/28/01	AMSTA-AR-FSF 880-3587
Type/Print Name	Signature/Concurrence	Date	Office Sym DSN Tel
Pkg			
ActJAMES F. ZOLL	JAMES F. ZOLL	2/28/01	AMSTA-AR-WEP 880-2865
Type/Print Name	Signature/Concurrence	Date	Office Sym DSN Tel
PAD			
ActJOHN DUDAS	JOHN DUDAS	3/9/01	AMSTA-AR-QAD 880-6541
Type/Print Name	Signature/Concurrence	Date	Office Sym DSN Tel

*** END OF NARRATIVE A 003 ***